ASSEMBLY INSTRUCTION

MODEL NO: B3450 / B3550 / B3650 / B3850 / B3950 - Q - RAIL FOR SIDE RAIL

(BOX 1) BOX OF HEADBOARD & FOOTBOARD


ITEM	DRAWING	DESCRIPTION	Qty
A		HEADBOARD	1
В		FOOTBOARD	1

(BOX 2) BOX OF SIDE RAIL


ITEM	DRAWING	DESCRIPTION	Qty
C		SIDE RAIL	2
D		WOODEN SLAT	3
Е	•	WOODEN SUPPORT	3

(BOX 2) HARDWARE LIST

ITEM	DRAWING	DESCRIPTION	Qty
1	⊕ -1111111>	CB SCREW (M4 *28mm)	6
2		SCREW DRIVER(*)	1



COMPLETED FULL BED ASSEMBLY



THE HARDWARE IS LOCATED THE PACKING ITEMS

NOTE: MUST TIGHTEN SCREWS PERIODICALLY WITH USE SCREWS MAY BECOME LOOSE.

CHECK TIGHNESS OF ALL SCREWS EVERY 6-8 WEEKS.

CLEANING INSTRUCTION

After assembled, clean & polish the completed parts if necessary with soft cloth and industrial recognized furniture polish.

MADE IN VIETNAM

ASSEMBLY INSTRUCTION

MODEL NO: B3450 / B3550 / B3650 / B3850 / B3950 - Q - RAIL FOR SIDE RAIL

(BOX 1) BOX OF HEADBOARD & FOOTBOARD


ITEM	DRAWING	DESCRIPTION	Qty
A		HEADBOARD	1
В		FOOTBOARD	1

(BOX 2) BOX OF SIDE RAIL


ITEM	DRAWING	DESCRIPTION	Qty
C		SIDE RAIL	2
D		WOODEN SLAT	3
Е	•	WOODEN SUPPORT	3

(BOX 2) HARDWARE LIST

ITEM	DRAWING	DESCRIPTION	Qty
1	⊕ -1111111>	CB SCREW (M4 *28mm)	6
2		SCREW DRIVER(*)	1



COMPLETED FULL BED ASSEMBLY



THE HARDWARE IS LOCATED THE PACKING ITEMS

NOTE: MUST TIGHTEN SCREWS PERIODICALLY WITH USE SCREWS MAY BECOME LOOSE.

CHECK TIGHNESS OF ALL SCREWS EVERY 6-8 WEEKS.

CLEANING INSTRUCTION

After assembled, clean & polish the completed parts if necessary with soft cloth and industrial recognized furniture polish.

MADE IN VIETNAM

ASSEMBLY INSTRUCTION

MODEL NO: B3650 - 1 & -11 DRESSER & MIRROR

(BOX 1) BOX OF DRESSER

ITEM	DRAWING	DESCRIPTION	Qty
A		Dresser	1

(BOX 2) BOX OF MIRROR


ITEM	DRAWING	DESCRIPTION	Qty
A		Mirror	1
В		Mirror support	2

(BOX 2) HARDWARELIST

ITEM	DRAWING	DESCRIPTION	Qty
1	*	CB Screw (M4*35mm)	2pcs
2		SCREW DRIVER (*)	1pcs



The manufacturer does not provide item 2.



THE ANTI TIPPING HARDWARE IS LOCATED IN THE RIGHT SIDE FRONT DRAWER OF DRESSER.

NOTE: MUST TIGHTEN SCREWS PERIODICALLY WITH USE SCREWS MAY BECOME LOOSE.

CHECK TIGHNESS OF ALL SCREWS EVERY 6-8 WEEKS.

CLEANING INSTRUCTION